

Created by TIFF To PDF trial version, to remove this mark, please register this software.

.... OFFICE OF


H. A. Rowland, County Surveyor,
McPHERSON COUNTY, KAN.

Permanent Surveys a Specialty . . .

Publisher of
County Map.



McPherson, Kan.,.....**190**.....



28-33-18-5

Sharps Creek
Trip.

MICROFILM

North between Secs. 32 and 33.

Va. 11° 32' E.

- 15.00 A ravine bears S. E.
- 40.00 Set sandstone 13x9x7 for 1/4 section corner.
- 45.50 A ravine bears S.E.
- 53.00 A ravine bears S.E.
- 80.00 Set sandstone 12x10x7 for Cor. to Secs. 28,29,32 and 33.
Land rolling. Soil 1st. rat4.

East on random line between Secs. 28 and 33.

Va. 11° 35' E.

- 40.00 Set temporary 1/4 section corner.
- 56.20 A creek 25 links wide runs NE A few scattering trees along banks. Enter bottom on right bank.
- 66.00 Leave bottom and enter upland bearing N.E. & S. W.
- 80.00 Intersect N and S line 12 links S of C-or. to Secs. 27, 28, 33 and 34. From which Cor. I ran
S 89° 55' W. on a true line between Secs. 28 and 33.

Va. 11° 35' E.

- 40.00 Set sandstone 12x9x6 for 1/4 sec corner.
- 80.00 To corner to Secs. 28/29,32 and 33.
Land mostly rolling. Soil 1st rate.
Timber Box Elder, Walnut and Cottonwood.

North between Secs. 28 and 29.

Va. 11° 32' E.

- 29.00 A deep ravine bears N. E.
- 40.00 Set sandstone 13x10x5 for 1/4 Sec. Cor.
- 79.50 Touch bend of Creek. Comes from S. W. Runs W. 40 lks. wide. Undergrowth and a few trees along bank. No trees convenient to mark.
- 80.00 Set sandstone 12x10x5 for Cor. to Secs. 20, 21, 28 and 29.
Land rolling. Soil 2nd. rate.

East on random line between sections 21 and 28.

Va. 11° 35' E.

- 6.50 Touch bend of Creek 40 links wide. Comes from N. W. Runs N.EE.
- 22.00 Same Creek 40 links wide runs S. E.
- 27.60 Same creek 35 links wide runs N.E.
- 32.00 Same creek runs S. E. 40 links wide .
- 35.00 Same creek 40 links wide runs N.E.

North between sections 31 and 32.

Va. 11° 32' E.

- 19.00 A ravine bears N.W.
- 46. A ravine bears West.
- 71.80 A ravine bears N.W.
- 80.00 Set sandstone 18x14x6 for cor. to secs. 29, 30, 31 and 32.

East on random line between sections 29 and 32.

Va. 11° 35' E.

- 13.95 A ravine bears N.W.
- 35.00 A ravine bears N.W.
- 55.00 A creek 10 links wide runs N.
- 72.80 A creek 10 links wide runs N.
- 80.04 Intersect N and S line 15 links S of Cor. to Secs. 28, 29,32 &33
West on true line between sections 29 and 32. S 89°54'W.
- 40.02 set sandstone 16x10x6. for 1/4 sec. Cor.

West on random line between secs. 30 and 31.

Va. 11° 35' E.

- 6.80 A creek 12 lks wide runs N.W.
- 9.00 A creek 10 lks wide runs N.W.
- 78.30 Intersect west boundary at Cor.
- 38.30 Set sandstone 10x10x8 for 1/4 sec. cor.

North between secs. 29 and 30.

21.50 A creek 10 links wide runs N.E. Va. 11° 32' E.
23.50 Same creek 10 links wide runs N.W.
29.7 Same creek 10 lks wide runs N.E.
40.00 Set sandstone 18x10x6 for 1/4 sec. Cor.
41.60 A creek 20 links wide runs E.
70.00 A creek 15 links wide runs N.E.
80.00 Set sanstone 18x10x4. for section corner.

East on a random line between Secs. 20 and 29.

13.10 A creek 10 links wide runs S.E. Va. 11° 35' E.
21.00 A creek 20 l wide runs S.E.
24.30 A creek 20 l wide runs S.W.
29.00 Same creek 20 l wide runs N.E.
50.20 Same creek 25 l wide runs S.
64.00 A creek 10 l wide runs S.E.
78.50 Same creek 25 l. wide runs N. 10° E.
79.98 Intersect N and S line 15 l. south of cor.
From this corner I run on true line S 89° 54' W.
39.99 Set sandstone 18x10x4 for 1/4 section corner.
West on a random line between Secs. 19 and 30

21.85 A ravine bears S.E. Va. 11° 35' E.
31.00 A ravine bears S.E.
53.20 A creek 10 l wide runs S.E.
Intersect west line of township 10 l S of corner from which I run S 89°
56' E.
38.24 Set a sandston 12x8x6 for 1/4 sec/ cor.

North between sec 19 & 20

16.15 a creek runs N.E.

40.00 12x10x7.

57 ravine bears S.E.