http://www.adultpdf.com
Created by TIFF To PDF trial version, to remove this mark, please register this software.

Sec 17 ~ T21 – R 32W



Survey 49 — Sec 17 — Town 21 — R 3 W

http://www.adultpdf.com
Created by TIFF To PDF trial version, to remove this mark, please register this software.

Field Notes.

Sec 17-21-3

Found the corner common to sections ~~[illegible]~~, 8, 9, 16 and 17 in good condition. From which corner I ran south between sections 16 and 17

Va. 9° 51' E.

40.16 The 1/4 section corner in good condition.
80.17 The corner common to sections 16, 17, 20 and 21 in good condition.

From the corner common to sections 16, 17, 20 and 21 I ran west between sections 17 and 20,

Va. 8° 33' E.

34.91 Set limestone 12x10x8" for corner.
79.81 The corner common to sections 17, 18, 19 and 20 in bad condition here I set in additional a limestone 14x10x6".

Fom the corner common to sections 17,18,19 and 20 I ran north between sections 17 and 18,

Va. 9° 57' E.

39.81 Set a limestone 14x10x7" for 1/4 section corner.
79.62 The corner common to sections 7,8,17 and 18.

From the corner common to sections 7,8,17 and 18 I ran east between sections 8 and 17,

Va. 8° 57' E.

34.90 I set in a limestone 22x12x5" about six links south of a hedge.
39.88 I set a limestone 28x12x3" for 1/4 section corner about nine links south of a hedge.
59.82 I set a limestone 18x6x7" for 1/16 section corner about twenty-five links south of a hedge row on south side of section 8.
79.76 The corner common to sections 8,9,16 and 17.

From the west 1/4 section corner of section 17 I ran east on quarter section line

20.23 Drain ~~[illegible]~~ 60 links wide runs south east.
30.53 Drain 30 links wide runs south west.
34.91 I set a limestone 10x8x6" for a corner.
44.88 ~~[illegible]~~ I set a limestone 12x8x6" for a corner.
59.84 ~~[illegible]~~ I set a limestone 14x10x5 for a 1/16 section corner.
79.78 The east 1/4 section corner of the section.

MICROFILM

http://www.adultpdf.com
Created by TIFF To PDF trial version, to remove this mark, please register this software!

The above measurements were all made ~~by~~ with a 100' engineer's steel tape with a uniform tension.

I, H. A. ROwland, County Surveyor, of McPherson County, Kansas, do hereby ~~un~~ certify that the foregoing plat and field-notes were made in accordance to the survey of section seventeen (17) town twenty-one (21) south, and of range three (3) west of the Sixth Principal Meridian which was begun the 5th day of March and completed the 8th day of March A. D., 1902.

County Surveyor.

MICROFILM

http://www.adultpdf.com
Created by TIFF To PDF trial version, to remove this mark, please register this software.

Affidavit of Publication.

STATE OF KANSAS, }
McPherson County. } ss.

WM. F. KREHBIEL, being first duly affirmed, deposes and says he is the publisher of the McPHERSON REPUBLICAN, a Weekly newspaper, printed and published in the City of McPherson, McPherson County, Kansas, and of general circulation therein, and that said newspaper has been continuously and uninterruptedly published in said county for a period of more than fifty-two weeks prior to the first publication of the annexed notice and that said notice was published three consecutive weeks in said paper, the first publication being on the 17th day of January, 1902, and the last on the 7th day of February, 1902, and that said notice was published in each and every copy of the entire edition of each issue.

W. F. Krehbiel

Affirmed to and subscribed before me this 7 day of Feby, 1902.

J. W. Walker
Notary Public
My Comm Expires Jany 9th 1903

Surveyor's Notice.

State of Kansas McPherson County:ss.

To G. G. Kiever, H. H. Janzen, Henry Unruh, Peter Flemming, Peter Schmidt, Jacob Abrahams, John Fri sen, H. Baize, and D. Neufeldt,

You are hereby otified that, pursuant to a notice duly served on me by G. G. Kiever and Peter Schmidt, I will proceed to permanentl survey, locate and establish the following corners and lines, to-wit:

The southwest one fourth (¼) and the west one-eighth (⅛) of the southeast one-fourth (¼); also the west one half (½) of the northeast one fourth (¼) and the east one-eighth (⅛) of the northwest one fourth (¼) all lying in section seventeen (17) township twenty-one (21) south and range three (3) west of the sixth Principal Meridian, and that I will commence said survey on the fourth day of February A. D. 1902 at ten o'clock in the forenoon of said day at the northeast corner of said section.

H. A. ROWLAND, County surveyor.

(First published in The McPherson Weekly Republican, January 17, 1902.)

PRINTER'S FEES $ 3.00